

2898 RU M63 Shabby Chic and 2069 S ME88 Zink

WALLPANEL

The world of maintenance-free waterproof wall panels from Fibo-Trespo AS

Design your bathroms walls with high quality wallpanel from Fibo-Trespo AS. The panels are approved according to Norwegian plumbing directory and makes the work involving plaster, membrane and tiles redundant. Laminate are pressed and hardened onto the panel and forms a watherproof surface. The panel are then milled with a 1.8 or 3.2 mm "groove" which gives the impression of tile. We also deliver panel without milling.

Combine our differendt collections of panels to suite your style.

The panels are large; 600 cm x 2400 mm. Follow the fitting instruction and you are guaranteed a great result that will last.



The panels may be mounted directly on the stud or on existing walls. The smooth and strong surface can withstand both direct water and large temperature fluctuations, is easy to clean and low maintenance. All panels are delivered with the unique Aqua Lock system.

We have divided our collection into 6 groups by design and appearance and named them: Marcato, Fortissimo, Crescendo, Legato, Adagio and Colour collection.









CRES

.. new bathro



CENDO

gorgeus rom walls eekend








CRESCENDO GRANDE

Tile pattern 600 x 300 mm Crescendo's exclusive surface with pattern and design matched in perfect 3D.

Delivered in further 4 exclusive contemporary design with large tile pattern.








CRESCENDO CASABLANCA

Tile pattern 200 x 300 mm Crescendo collection consists of wall panels with 3D tiling. There is a height- and surface difference between the tiles.

When fitting Crescendo check alignment of border prior to final fitting.





1526 Casablanca Grigio - grey/brown

1525 Casablanca Azurro - blue 1528 Casablanca Artico - light grey






MARCATO

Marcato collection comes in a variety of colors, surfaces and tile sizes.

Joint width can be white or grey

The wallpanel having the same color and joint width can be used in combination with each other.



DECOR WALLPANEL MARCATO

Joint width 1,8 mm

white fugue

Grey fugue


7969 SC Rough Wood

8053 STN Lentini Grey


8054 STN Lentini Light

8056 STN Lentini Dark


Design M00 No tile pattern



Design M10 Milled right side



Design M6015




Design M63 / M6030



Design ME88


Decorative panel; 300 mm




Note: the colors may differ slightly from the actual product. Abbreviations: HG = High Gloss, G = Gloss, S = Silk, SL = Slate, FW = Fresh Wood (rough surface) EM = Extra Matt, RU = Rustic, SA = Spatolatto, SC = Saw cut, C = Cement, P1 = Matt surface with high gloss pattern.

Design M0303

Tile pattern 30x30 mm



Design M2007 Tile pattern200xca.70 mm



Design M3005 Tile pattern 300x50 mm

1091 S Rhodos White 5091 HG Athen White

Design M6020



Design M6040

Tile pattern 600x400 mm



Design M66 / M6060
























MARCATO DESIGN M6040

Tile pattern 600 x 400 mm Between large surfaces and sleek designs. This shows decors where joint width is 1.8 mm, and groove color is white.



4098 HG Kalahari





DESIGN M66/M6060

Tile pattern 600 x 600 mm Large expanses and stunning design.

With 1.8mm groove, colour grey









MARCATO DESIGN ME88

Decorative panel 30 cm wide

Special design intended for use between other design to give an elegant touch to your bathroom.

MARCATO ATHEN WHITE OG RHODOS WHITE

Our white decors in the Marcato collection comes in a large selection of tile sizes. In addition to those presented in the preceding pages, we have tile sizes who are presented below. They all have 1.8mm white groove.



Marcato collection contains white panels with white grout. The collection consists of two surfaces; 1091 Rhodes White silk surface and 5091 Athens White high gloss finish.

Both surfaces coming with 10 different tile sizes from 600x2400mm to 30x30mm.

Do not let the thought of cleaning the white grout haunt you - we have the best solution for you!


The design and easy maintenance of our panels will keep the joints white for years to come.

Design M10 Milled right side	Design M0303 Tile pattern 30 x 30 mm	Design M2007 Tile pattern 200 x70mm	Design M3005 Tile pattern 300 x 50 mm	Design M6015 Tile pattern 600 x 150 mm	Design M6020 Tile pattern 600 x 200 mm	Design M6030 Tile pattern 600 x 300 mm












Note: the colors may differ slightly from the actual product.

Abbreviations: HG = High Gloss, SL = Slate, EM = Extra Matt, RU = Rustic, SA = Spatolatto, C = Cement



gorgeous white joints for all!







FORTISSIMO

Fortissimo-collection comes in a variety of colors, surfaces and milling pattern. Laminate are pressed and hardened onto the panel and forms a watherproof surface. The panel are milled with a 3.2 mm "groove" which gives the impression of tile.

The majority of Fortissimo panels have the same tile groove, color and size, between the tiles and can therefore be combined just as you like. The exception is 2520 Ivory F23, 2586 Santiago F22 and 2506 Toscana F23 who have a narrower gap between the "tiles" than the rest of the Fortissimo range.

Forkortelser:

HG = High Gloss

G = Gloss, S = Silk

SL = Slate

FW = Fresh Wood (rough surface)

PI = Matt surface with high gloss pattern



DECOR WALLPANEL FORTISSIMO

3,5 mm joint width, groove colour grey

Design F00

No tile pattern



Design F01

Tile Pattern 600 x 400 mm



Design F03

Tile Pattern 300 x 50 mm



Note: the colors may differ slightly from the actual product.

Abbreviations: HG = High Gloss, G = Gloss, S = Silk, SL = Slate, FW = Fresh Wood (rough surface)

EM = Extra Matt, RU = Rustic, SA = Spatolatto, SC = Saw cut, C = Cement, P1 = Matt surface with high gloss pattern.


* = Tile pattern included in the Colour Collection - info: page 48 - 65

Design F24




Design F25

Tile pattern 150 x 150 mm



Flower

No tile pattern 600 x 2400 mm



Design F05 Tile pattern 600 x 200 mm



3091 HG Denver White

4091 SL White Slate

Design	F08
Tile natter	n 150

Tile pattern 150 x 200 mm

		2091 S White
		3091 HG Denver White
		4091 SL White Slate

Design F22 Tile pattern 300 x 400 mm

	2001 UC
	3091 HG Denver White

Design F23 Tile pattern 200 x 300 mm

Tile pattern 200	
	2091 S White
	STORY L
	2506 HG Toscana
	2520 G lvory
	3091 HG Denver White













FORTISSIMO DESIGN F03

Wall Panel with tile pattern 300 x 50 mm in classic and bright colors.

Combine different colors and tile size and create something unique. A pleasure to use such a bathroom every morning.



3091 HG Denver White











Tile pattern 300 x 400 mm

With our simple installation, you can renew you bathroom walls in a weekend!

The majority of Fortissimo panels have the same tile groove, colour and size, between the tiles and can therefore be combined just as you like. the exception is 2520 Ivory F23, 2586 Santiago F22 and 2506 Toscana F23 who have a narrower gap between the "tiles" than the rest of the Fortissimo range.



3091 HG Denver White







FORTISSIMO DESIGN F24

Tile pattern 600 x 150 mm

Big or small; Fibo-Trespo Wall Panels provides freedom of choice, to your bathroom, at an affordable price.

Wall Panel Design F24 and F25 classic and beautiful. Combine these designs or one design in the entire bathroom.



3091 HG Denver White 4054 HG Milano Antrasite



3091 HG Denver White

FORTISSIMO DESIGN F25

Tile pattern 150 x 150 mm





0901 P1 Black Flower

BLACK & WHITE FLOWER

Wallpanel no tile pattern, 600 x 2400 mm


The panels are best suited as decorative panels, then the pattern is not reports. Black Flower also comes to 1200 mm width, and can easily be combined with other Fibo-Trespo Wall Panel decors.


Lighting determines how prominent the delicate flowers pattern becomes. The pattern is tone-on-tone matt / gloss- a right exclusive choices.






















COLLE

...Wha drean bath



JR CTION

t is your n in the room?



COLOUR COLLECTION

HIGH GLOSS FINISH 1,8 OG 3,5 MM JOINT WIDTH

For interior designers, architects and creative souls we supply Fibo-Trespo Colour Collection.

Wallpanel with bright, clear colors and a high gloss finish. If desired we deliver the panels with 8 different tile patterns. 3,5 mm groove.

Note: the colors may differ slightly from the actual product.



Colour Collection wallpanel with 1,8mm joint width and groove colour grey, comes in high gloss finish.



4115 HG London NCS S 3500-N 3091 HG Denver White NCS S 0502-G50Y

4149 HG Beach NCS S 3010-Y60R 2199 HG Brown sugar NCS S 8010-Y70R 4063 HG Oslo NCS S 2500-N



4149 HG Beach NCS S 3010-Y60R

2199 HG Brown sugar NCS S 8010-Y70R

Colour Collection with 3,5 mm groove colour.

Colour Collection is delivered in various tile patterns:

Design F00 No tile pattern

Design F01 Tile pattern: 600 x 400 mm
Design F03 Tile pattern: 300 x 50 mm
Design F05 Tile pattern: 600 x 200 mm
Design F08 Tile pattern: 150 x 200 mm

Design F10 Milled right edge

Design F23 Tile pattern: 200 x 300 mm
Design F24 Tile pattern: 600 x 150 mm
Design F30 Tile pattern: 30 x 30 mm

Fibo-Trespo Colour Collection is delivered in 2-pack.

Colour Collection wallpanel with 3,5mm joint width and groove colour grey, comes in high gloss finish.



4115 HG London NCS S 3500-N

4063 HG Oslo NCS S 2500-N 2124 HG New York Black NCS S 9000-N

4054 HG Milano Antrasite NCS S 6502-Y

3091 HG Denver White NCS S 0502-G50Y






HEAVEN AND SEA

In the earlier days blue was an expensive color to produce. Only kings and very wealthy people could afford blue colored clothings or paint. Hence the term "royal blue". It was normal to be portrayed wearing blue even if you did not own any blue clothings.







WEALTH AND OPTIMISM

Yellow, in the form of yellow ochre pigment made from clay, was one of the first colors used in prehistoric cave art. The cave of Lascaux has an image of a horse colored with yellow estimated to be 17,300 years old.

Yellow is valued because of its high visibility. It has replaced red as the color of emergency vehicles, and is popular in neon signs, especially in Las Vegas and China.

Yellow is commonly associated with gold, wealth, sunshine, reason, happiness, optimism and pleasure, but also with envy, jealousy and betrayal.





PURPLE

Purple was one of the first colors used in prehistoric art. They used sticks of manganese and hematite powder to draw and paint animals and the outlines of their own hands on the walls of their caves. These works have been dated to between 16,000 and 25,000 BC.

In 15th century BC the process of making the purple and red dye was long, difficult and expensive. Purple became the color of kings, nobles, priests and magistrates.

Purple and red colors har trough the years been associated with extravagance and individualism. It is often used to attract attention.

4118 HG Princess NCS S 2020-R20B

2444 HG Lilac 3540 HG Blush NCS S 6030-R30B NCS S 3560 R





GRASS AND NATURE

The modern English word green comes from the Middle English and Anglo-Saxon word grene, from the same Germanic root as the words "grass" and "grow".

Green colors are most commonly associated with nature, youth, spring, hope, envy and a symbol of fertility.

4085 HG Spirit NCS S 1515 -G20Y 2446 HG Hope NCS S 0570- G60Y 6062 HG Spring NCS S 1080-G30Y



GRAY MINIMALISM

Use the walls as a neutral canvas to accentuate furniture and other details in the room.

Grays was previously used by the great artists to highlight their talent instead of many and bright colors that easily hides errors in a painting.

4063 HG Oslo NCS S 2500-N 4115 HG London NCS S 3500-N 4054 HG Milano Antrasite NCS S 6502-Y

3091 HG Denver White NCS S 0500-N 2124 HG New York Black NCS S 9000-N



EXTRA MATT SURFACE 1,8 MM JOINT WIDTH


With gorgeous extra matt surface, gives the room you peace and sense of wellbeing.

An entire collection- from morning to evening.

The whole new extra matt Color Collection comes with white grout- matching perfectly 1091 S Rhodes White which comes in a variety fresemønstere.

Welcome to our daily lives.

Colour Collection wallpanel with 1,8mm joint width and groove colour grey, comes in extra matt finish.



Design M6040 Tile pattern 600x400mm Tile pattern 600x600mm


All colour in Extra Matt surface.




Note: the colors may differ slightly from the actual product: EM = Extra matt.

















.. new gorgeous bathroom walls in a weekend















FIBO-TRESPO AQUALOCK, ACCESSORIES AND PROFILES

- for safe and easy installation!



AQUALOCK

Fibo-Trespo Wall panels are delivered with the Aqua Lock system. This makes the installation easy and gives a consistent and great result.



Design approval: D21569 No.00 + US.00 Patent approval: P24306 No.00 + US.00 + EP.00

Fire class D-s1.d0



Cleaning and maintenance: Simply wipe with a damp clot or a mild non-abrasive cream cleaner.

NB! Acetone or equivalent must not be used for removing stains, glue or sealant, either in panels or lists.



recommended product of FFV.



NBI approved



CE-market



Delivered with the Aqua Lock

EPROPERTIES:







































Note: the colors may differ slightly from the actual product.

Abbreviations: HG = High Gloss, G = Gloss, S = Silk, SL = Slate, FW = Fresh Wood (rough surface) EM = Extra Matt, RU = Rustic, SA = Spatolatto, SC = Saw cut, C = Cement,

P1 = Matt surface with high gloss pattern.


Fibo Seal, Fugger Seal All, Soudaseal 215 LM,

ETAG 022 Approved sealants:

Casco Aguaseal.

CT1, Optimera Bathroom Seal and

PROFILE OPTIONS: All profiles are 2400 mm



Aluminium lists are delivered predrilled, grooved and individually plastic wrapped. * profiles also delivered in 3000 mm

MOUNTING

with 2-piece internal corner profile or standard internal corner profile. Wallpanel with Aqualock.



In the wet zone, all profiles, cut surfaces, joints and drip noses, MUST be cleaned and have sealant applied. Fibo-Wipes is only to be used on laminate surfaces.

Fibo Seal is recommended as a sealant. It is approved by the norwegian building research institute (nbi) and in accordance with etag 022.




The panels can be mounted on existing walls or on a levelled timber frame with a centre to centre distance of 600 mm and horizontal battens at 800 mm centres. **NB!** When attaching heavy items such as washbasins, there must be additional studding. NB! Acclimatisation! The panels MUST be stored flat at room temperature for 3 days prior to being used (longer if they have been kept in cold storage).




Where there is a requirement/need for a solid wall behind the panel, a minimum 12 - 15 mm x 18 mm plywood or rough panels should be used. Using a solid wall is an ideal solution for the installation of our 300 mm effect panels.



Mount the base profile about 60 - 80 mm from the floor, apply sealant to the lower back of the profile, and screw it to the wall. See also section 18. Applies to both installation with standard and 2-piece internal corner profile. Use a spirit level / laser to ensure that the profile is level.




All installation must be performed from left to right. Reinforcement strip to be screwed in both drip grooves. For installation of wall base trim see section 2




Measure the top and bottom of the first panel, (remember to measure into the profile and to the first studs). Cut the panel and test fit without sealant.

NB! The panel MUST be plumb/ level. Clean cut surfaces,


joint edge and under drip nose.



Apply approved sealant on the cut surfaces as shown in the drawing.



The panel is screwed to the stud as shown in the drawing.




Clean the joint edge and apply sealant on the joint edge and cut surface, prior to clicking it into place.




NB There should be so much sealant in the joint that the sealant oozes out along the length of the entire joint:

1. Spray Fibo Clean on the excess sealant

- Remove with Fibo Fug
 Wipe away any visible sealant residue with Fibo Wipes




Take precise measurements, as shown in the drawing, but remove 1 - 2 mm. Test-fit without sealant.



Then fit the panel, by clicking it into place.

MOUNTING


with 2-piece internal corner profile or standard internal corner profile. Wallpanel with Aqualock.



If there is a gap between the panel edge and inner section of the internal profile, this must also be filled with sealant. Apply an approximate 5 mm thick amount of Fibo Seal from the bottom to the top of the sheets on both sides about 4 - 5 mm out from the corner. 2nd cover part of the internal profile to be inserted from the bottom of the panel and slid into the 1st part inner profile. If needed use a tapping block, (tap carefully).



In order to be approved in accordance with Våtromsnormen (the Norwegian trade norm for wet rooms) an approved sealant must be used. Sealant to be applied as per drawing, see under.



The sealant should ooze out along the entire length of the profile. Excess sealant can be removed with Fibo Clean and a sealing tool.




For pipe penetrations, drill out a hole 5 mm larger in diameter than the pipe. Cut surfaces must be cleaned. Use approved pipe penetrations such as Uponor M6 or Sanipex.

APPROVALS: Fagradet for vatrom GODKJENT PRODUKT LECTOR OF THE PERCONSISTED AND PERCONSIS



Mounting with standard internal corner profile



Start the installation as shown in the drawing. Adjust the length of the panels to meet the ceiling. Set the internal corner profile onto the panel, then fit both panel and corner profile into place, into the corner.

NB! The panels replace water vapour resistant foil on outer walls.




The panels are fastened plumb at the top. Allow at least 5 mm distance up to ceiling. The inner corner profile is attached to the stud using screws through the pre-drilled holes. Remember to countersink the screws.



Fibo-Trespo AS, N4580 Lyngdal Norway 04

EN 13986 EN636-2 EN 335-3 class 2 E1 D-sl.d0 EN B501-1



Make sure the next panel is plumb and adjusted to fit the next stud. Allow about 2 mm expansion in the inside corner moulding. In wet zones membrane should go up min. 45 mm behind the base profil/panel.



The final panel is folded at one side so that the joint will be neat and is fastened with staples, concealed by ceiling cornices and door architraves.

As the panels may have sharp edges, the use of gloves during assembly is recommended.

As a filler/sealant we recommend Fibo seal.

Fibo seal is approved by the norwegian building research institute (nbi) and in accordance with etag 022





INSPIRED?

We hope we have given you an idea of the amount of possibilities wall panels from Fibo-Trespo gives you.

Give yourself a great bathroom with atmosphere for relaxing and comfort, without compromizing on quality.

The Fibo-Trespo wall panels provide instant waterproof, hygienic walls with a choice from a large range of colours and finishes.











RISTRUTTURAZIONE A IMPATTO ZERO